


swiss  
mesh  
technology



Technische Daten  
Technical Data  
기술 사양  
Datos Técnicos  
Dati Tecnici  
Dados Técnicos



Printing Solutions  
SEFAR® PA 1000

**S E F A R**  
■ ■ ■ ■

# SEFAR PA 1000

Monofiles Polyamidgewebe | Monofilament polyamide mesh  
Tissu en polyamide monofil | Tela monofilamentos de poliamida  
Tessuto poliammidico monofilo | Tecidos filamento de poliamida

1045 12/2008

Gewebelinie Range of mesh Gamma di tessuti Gamma de tecidos	Gewebenummer Mesh number Número del tejido Número do tecido	Bindung Weave Ligamento Ligamento	Fadenzahl/toleranz Tolerance of mesh-count Tolerancia número de hilos Número de fios - tolerância	Maschenweite Mesh-opening Abertura de malha Abertura da malha	Garndurchmesser nominal Thread diameter nominal Диаметр нити Diâmetro nominal do fio	Sieböffnungsg rad Open area Superficie libre Superficie libre	Siebdicke Mesh thickness Espesor de tela Espessura do tecido	Siebkantenstärke Tol. of mesh thickness Tol. espesor de tela Espessura do tecido - tol.	Theoretisches Farbvolumen Volumen teórico de tinta 이론적 잉크량 Volume teórico de tinta	Gewebegewicht Weight of mesh 망사의 무게 Peso do tecido	erhältliche Breiten avaliable widths 가용 망사 폭 altreze disponibill larguras disponiveis
cm / inch	±n/cm	µm	µm	%	µm	µm	±µm	cm <sup>2</sup> /m <sup>2</sup>	g/m <sup>2</sup>	cm 115136158 inch 45 53 62	
PA 1000	10/25-350W	PW	1:1	640	350	41.0	610	43	266.2	238	●
PA 1000	12/30-300W	PW	1:1	521	300	39.1	525	26	205.5	209	○
PA 1000	24/60-160W	PW	1:1	253	160	36.8	287	20	105.5	122	○
PA 1000	30/76-120W	PW	1:1	210	120	39.8	210	11	83.6	84	●
PA 1000	36/92-90W	PW	1:1	184	90	43.5	160	8	69.3	56	●
PA 1000	40/103-80W	PW	1:1	169	80	45.7	143	7	59.4	49	○
PA 2000	48/123-70W	PW	1:1	136	70	42.5	122	7	51.4	46	○
PA 1000	54/137-60W	PW	1:1	123	60	43.9	100	5	45.0	38	●
PA 1000	61/156-60W	PW	1:1	100	60	38.7	103	5	38.7	43	●
PA 1000	61/156-70W	PW	1:1	85	70	28.8	127	6	35.4	58	○
PA 1000	68/175-60W	PW	1:1	83	60	31.1	105	5	31.1	48	○
PA 1000	77/195-50W	PW	1:1	79	50	36.9	80	4	29.5	37	●
PA 1000	77/195-60W	PW	1:1	64	60	26.5	106	5	27.8	55	○
PA 1000	90/230-44W	PW	1:1	65	44	34.3	72	4	24.7	33	●
PA 1000	90/230-44Y	PW	1:1	65	44	34.3	72	4	24.7	33	○
PA 1000	100/255-38W	PW	1:1	61	38	37.2	64	3	23.8	28	●
PA 1000	100/255-38Y	PW	1:1	61	38	37.2	64	3	23.8	28	○
PA 1000	110/280-38W	PW	1:1	53	38	33.9	66	3	22.4	31	○
PA 1000	120/305-30W	PW	1:1	51	30	37.9	53	3	20.1	21	○
PA 1000	120/305-30Y	PW	1:1	51	30	37.9	53	3	20.1	21	●
PA 1000	120/305-35W	PW	1:1	46	35	30.9	60	3	18.5	29	●
PA 1000	120/305-35Y	PW	1:1	46	35	30.9	60	3	18.5	29	○
PA 1000	130/330-35Y	PW	1:1	40	35	26.9	61	3	16.4	31	○
PA 1000	140/355-30W	PW	1:1	38	30	28.9	52	3	15.1	24	●
PA 1000	140/355-30Y	PW	1:1	38	30	28.9	52	3	15.1	24	○
PA 1000	140/355-35W	PW	1:1	33	35	21.9	59	3	12.9	33	●
PA 1000	140/355-35Y	PW	1:1	33	35	21.9	59	3	12.9	33	○
PA 1000	150/380-30W	PW	1:1	34	30	25.5	52	3	13.3	26	●
PA 1000	150/380-30Y	PW	1:1	34	30	25.5	52	3	13.3	26	○
PA 1000	165/420-30W	PW	1:1	28	30	20.7	51	3	10.6	29	○
PA 1000	165/420-30Y	PW	1:1	28	30	20.7	51	3	10.6	29	●
PA 1000	165/420-35W	TW	2:2	25	35	16.5	67	3	11.0	39	○
PA 1000	180/460-30W	TW	2:2	25	30	19.5	58	5	11.1	31	●
PA 1000	180/460-30Y	TW	2:2	25	30	19.5	58	5	11.1	31	○
PA 1000	200/510-30W	TW	2:2	16	30	10.2	58	5	5.8	35	●
PA 1000	200/510-30Y	TW	2:2	16	30	10.2	58	5	5.8	35	○

Legende (deutsch)  
● = Vorzugsartikel, in der Regel ab Lager lieferbar (Zwischenverkauf vorbehalten)

Legend (english)  
● = Priority item, usually on stock (subject to prior sales)

Légende (français)  
● = Article prioritaire, normalement livrable du stock (sauf vente intermédiaire)

Leyenda (español)  
● = Artículo prioritario, normalmente disponible ex-stock (salvo venta previa)

Leggenda (italiano)  
● = Articolo prioritario, disponibile normalmente da magazzino (salvo vendita intermediaia)

Legenda (português)  
● = Item prioritário, normalmente disponível em estoque (salvo venda prévia)



www.sefar.com  
printing@sefar.com

Headquarters:

**Sefar AG**

Printing Solutions  
Freibach  
9425 Thal  
Switzerland  
Phone +41 71 886 32 32  
Fax +41 71 886 35 91

**Sefar Leguay S.A.S.**

93315 Le Pré-St-Gervais, France  
Phone +33 1 484 34 21 3  
Fax +33 1 484 35 85 7

**Sefar Maissa S.A.**

08440 Cardedeu (Barcelona), Spain  
Phone +34 93 844 47 10  
Fax +34 93 844 47 20

**Sefar Printing Solutions Inc.**

Lumberton, New Jersey 08048, USA  
Phone +1 609 613 5000  
Fax +1 609 267 1750

**Sefar Printing Solutions SA de CV**

54080 Tlalnepantla, Estado de México, México  
Phone +52 55 5394 8689  
Fax +52 55 5319 0358

**Sefar Printing Solutions Ltda.**

09895-003 São Bernardo do Campo-SP, Brazil  
Phone +55 11 4390 6300  
Fax +55 11 4390 6301

**Sefar Asia Pacific Co., Ltd.**

Bangkok 10900, Thailand  
Phone +66 2 937 5624  
Fax +66 2 937 5647

**Sefar Printing Solutions (Shanghai) Co., Ltd.**

Shanghai 201108, China  
Phone +86 21 6442 6800  
Fax +86 21 6442 6866

**Sefar Trading (Shenzhen) Co. Ltd.**

518048 Futian District Shenzhen, China  
Phone +86 755 3398 3868  
Fax +86 755 3398 3863

**Sefar (International) AG**

Kwai Fong N.T., Hong Kong  
Phone +852 2650 0581  
Fax +852 2638 0580

**Sefar Printing Solutions Co. Ltd.**

Osaka 530-0053, Japan  
Phone +81 6 4709 1070  
Fax +81 6 4709 1071

**Sefar Printing Solutions Pty Ltd**

Tullamarine VIC 3043, Victoria, Australia  
Phone +61 3 9330 1122  
Fax +61 3 9335 2592

1045 12/2008

**Waver:** It is exclusively in written agreements that we provide our customers with warrants and representations as to the technical contained specifications and/or the fitness for any particular purpose. The facts and figures herein are carefully compiled to the best of our knowledge, but they are intended for general informational purposes only.

Current data available on [www.sefar.com](http://www.sefar.com)